



Flex Membrane International, Inc., Leesport, PA 19533 Phone: 610-916-9500 Fax: 610-916-9501 Email: flexroof@cs.com

FLEX TPO SALES ORDER FORM

| | | | | | | | |
|-----------------------|--|-----------------------|------------------------------------|-----------------------------|-------------------------------------|-----------------------|---------------|
| Order Date | | Requested Date | Customer Purchase Order No. | Ship Via Van/Flatbed | F.O. B. Terms Flex Warehouse | Ordered By: | |
| | | | | | | | |
| BILL TO: | | | | SHIP TO: | | | |
| *Name: | | | | *Name: | | | |
| *Address: | | | | *Address: | | | |
| *City: | | | | *City: | | | |
| *State: | | | | *State: | | | |
| *Zip: | | | | *Zip: | | | |
| *Telephone No: | | | | *Telephone: | | | |
| *Fax No: | | Project Name: | | | | | |
| *Email: | | | | | | | |
| *Comments: | | | | | | | |
| Item Code | FLEX TPO ROOFING MEMBRANE Product Description | | | Quantity Ordered | Unit | Gross Coverage | Weight |
| 8300 | .045 White Reinforced TPO Membrane 4' X 100' | | | | Roll | 400 sq. ft. | 102 lbs. |
| 8332 | .045 Gray Reinforced TPO Membrane 4' X 100' | | | | Roll | 400 sq. ft. | 102 lbs. |
| 8333 | .045 Tan Reinforced TPO Membrane 4' X 100' | | | | Roll | 400 sq. ft. | 102 lbs. |
| 8301 | .045 White Reinforced TPO Membrane 6' X 100' | | | | Roll | 600 sq. ft. | 146 lbs. |
| 8334 | .045 Gray Reinforced TPO Membrane 6' X 100' | | | | Roll | 600 sq. ft. | 146 lbs. |
| 8335 | .045 Tan Reinforced TPO Membrane 6' X 100' | | | | Roll | 600 sq. ft. | 146 lbs. |
| 8303 | .045 White Reinforced TPO Membrane 8' X 100' | | | | Roll | 800 sq. ft. | 202 lbs. |
| 8336 | .045 Gray Reinforced TPO Membrane 8' X 100' | | | | Roll | 800 sq. ft. | 202 lbs. |
| 8337 | .045 Tan Reinforced TPO Membrane 8' X 100' | | | | Roll | 800 sq. ft. | 202 lbs. |
| 8302 | .045 White Reinforced TPO Membrane 10' X 100' | | | | Roll | 1,000 sq. ft. | 253 lbs. |
| 8338 | .045 Gray Reinforced TPO Membrane 10' X 100' | | | | Roll | 1,000 sq. ft. | 253 lbs. |
| 8339 | .045 Tan Reinforced TPO Membrane 10' X 100' | | | | Roll | 1,000 sq. ft. | 253 lbs. |
| 8340 | .045 White Reinforced TPO Membrane 12' X 100' | | | | Roll | 1,200 sq. ft. | 292 lbs. |
| 8341 | .045 Gray Reinforced TPO Membrane 12' X 100' | | | | Roll | 1,200 sq. ft. | 292 lbs. |
| 8342 | .045 Tan Reinforced TPO Membrane 12' X 100' | | | | Roll | 1,200 sq. ft. | 292 lbs. |
| 8343 | .060 White Reinforced TPO Membrane 4' X 100' | | | | Roll | 400 sq. ft. | 127 lbs. |
| 8344 | .060 Gray Reinforced TPO Membrane 4' X 100' | | | | Roll | 400 sq. ft. | 127 lbs. |
| 8345 | .060 Tan Reinforced TPO Membrane 4' X 100' | | | | Roll | 400 sq. ft. | 127 lbs. |
| 8307 | .060 White Reinforced TPO Membrane 6' X 100' | | | | Roll | 600 sq. ft. | 146 lbs. |
| 8346 | .060 Gray Reinforced TPO Membrane 6' X 100' | | | | Roll | 600 sq. ft. | 146 lbs. |
| 8347 | .060 Tan Reinforced TPO Membrane 6' X 100' | | | | Roll | 600 sq. ft. | 146 lbs. |
| 8308 | .060 White Reinforced TPO Membrane 8' X 100' | | | | Roll | 800 sq. ft. | 253 lbs. |
| 8348 | .060 Gray Reinforced TPO Membrane 8' X 100' | | | | Roll | 800 sq. ft. | 253 lbs. |
| 8349 | .060 Tan Reinforced TPO Membrane 8' X 100' | | | | Roll | 800 sq. ft. | 253 lbs. |

| Item Code | FLEX TPO ROOFING MEMBRANE Product Description | Quantity Ordered | Unit | Gross Coverage | Weight |
|-----------|--|------------------|------|----------------|----------|
| 8350 | .060 White Reinforced TPO Membrane 10' X 100' | | Roll | 1,000 sq. ft. | 316 lbs. |
| 8351 | .060 Gray Reinforced TPO Membrane 10' X 100' | | Roll | 1,000 sq. ft. | 316 lbs. |
| 8352 | .060 Tan Reinforced TPO Membrane 10' X 100' | | Roll | 1,000 sq. ft. | 316 lbs. |
| 8353 | .060 White Reinforced TPO Membrane 12' X 100' | | Roll | 1,200 sq. ft. | 380 lbs. |
| 8354 | .060 Gray Reinforced TPO Membrane 12' X 100' | | Roll | 1,200 sq. ft. | 380 lbs. |
| 8355 | .060 Tan Reinforced TPO Membrane 12' X 100' | | Roll | 1,200 sq. ft. | 380 lbs. |
| 8360 | .072 White Reinforced TPO Membrane 4' X 100' | | Roll | 400 sq. ft. | 152 lbs. |
| 8361 | .072 Gray Reinforced TPO Membrane 4' X 100' | | Roll | 400 sq. ft. | 152 lbs. |
| 8362 | .072 White Reinforced TPO Membrane 6' X 100' | | Roll | 600 sq. ft. | 228 lbs. |
| 8363 | .072 Gray Reinforced TPO Membrane 6' X 100' | | Roll | 600 sq. ft. | 228 lbs. |
| 8356 | .072 White Reinforced TPO Membrane 8' X 100' | | Roll | 800 sq. ft. | 303 lbs. |
| 8357 | .072 Gray Reinforced TPO Membrane 8' X 100' | | Roll | 800 sq. ft. | 303 lbs. |
| 8358 | .072 White Reinforced TPO Membrane 10' X 100' | | Roll | 1,000 sq. ft. | 379 lbs. |
| 8359 | .072 Gray Reinforced TPO Membrane 10' X 100' | | Roll | 1,000 sq. ft. | 379 lbs. |
| 8364 | .072 White Reinforced TPO Membrane 12' X 100' | | Roll | 1,200 sq. ft. | 454 lbs. |
| 8365 | .080 White Reinforced TPO Membrane 4' X 100' | | Roll | 400 sq. ft. | 171 lbs. |
| 8366 | .080 Gray Reinforced TPO Membrane 4' X 100' | | Roll | 400 sq. ft. | 171 lbs. |
| 8367 | .080 White Reinforced TPO Membrane 6' X 100' | | Roll | 600 sq. ft. | 256 lbs. |
| 8368 | .080 Gray Reinforced TPO Membrane 6' X 100' | | Roll | 600 sq. ft. | 256 lbs. |
| 8369 | .080 White Reinforced TPO Membrane 8' X 100' | | Roll | 800 sq. ft. | 342 lbs. |
| 8370 | .080 Gray Reinforced TPO Membrane 8' X 100' | | Roll | 800 sq. ft. | 342 lbs. |
| 8371 | .080 White Reinforced TPO Membrane 10' X 100' | | Roll | 1,000 sq. ft. | 426 lbs. |
| 8373 | .080 Gray Reinforced TPO Membrane 10' X 100' | | Roll | 1,000 sq. ft. | 426 lbs. |
| 8374 | .080 White Reinforced TPO Membrane 12' X 100' | | Roll | 1,200 sq. ft. | 513 lbs. |
| 8375 | .045 White Reinf. FB TPO Membrane 6'x 50' | | Roll | 300 sq. ft. | 191 lbs. |
| 8376 | .045 White Reinf. FB TPO Membrane 12'x 50' | | Roll | 600 sq. ft. | 191 lbs. |
| 8377 | .045 White Reinf. FB TPO Membrane 12'x 100' | | Roll | 1,200 sq.ft. | 353 lbs. |
| 8379 | .060 White Reinf. FB TPO Membrane 6'x 50' | | Roll | 300 sq. ft. | 242 lbs. |
| 8380 | .060 White Reinf. FB TPO Membrane 12'x 50' | | Roll | 800 sq. ft. | 242 lbs. |
| 8381 | .060 White Reinf. FB TPO Membrane 12'x 100' | | Roll | 1,200 sq.ft. | 453 lbs. |
| 8417 | .045 Mil Reinforced Self Adhered TPO 5' X 50' | | Roll | 250 sq. ft. | 91 lbs. |
| 8413 | .045 Mil Reinforced Self Adhered TPO 5' X 100' | | Roll | 500 sq. ft. | 182 lbs. |
| 8418 | .045 Mil Reinforced Self Adhered TPO 10' x 50' | | Roll | 500 sq. ft. | 182 lbs. |
| 8415 | .045 Mil Reinforced Self Adhered TPO 10' X 100' | | Roll | 1,000 sq.ft. | 363 lbs. |
| 8419 | .060 Mil Reinforced Self Adhered TPO 5' X 50' | | Roll | 250 sq. ft. | 111 lbs. |
| 8414 | .060 Mil Reinforced Self Adhered TPO 5' X 100' | | Roll | 500 sq. ft. | 221 lbs. |
| 8420 | .060 Mil Reinforced Self Adhered TPO 10' X 50' | | Roll | 500 sq. ft. | 221 lbs. |
| 8416 | .060 Mil Reinforced Self Adhered TPO 10' X 100' | | Roll | 1,000 sq.ft. | 441 lbs. |

FLEX 10 YEAR LABOR & MATERIAL WARRANTY FEE-\$.05 SQ. FT. /MINIMUM CHARGE OF \$375.00

FLEX 15 YEAR LABOR & MATERIAL WARRANTY FEE-\$.08 SQ. FT. /MINIMUM CHARGE OF \$600.00

FLEX 20 YEAR LABOR & MATERIAL WARRANTY FEE-\$.15 SQ. FT. /MINIMUM CHARGE OF \$1,125.00

| Item Code | FLEX TPO ACCESSORIES Product Description | Quantity Ordered | Packaging | Weight |
|-----------|--|---|----------------------|--------------|
| 8422 | .060 Non-Reinforced TPO Flashing White (12"x50') | | | |
| 8306 | .060 Non-Reinforced TPO Flashing White (24"x50') | | 1/Ctn | 16/33 lbs. |
| 8385 | .060 Non-Reinforced TPO Flashing Gray (12",24"x50') | | 1/Ctn | 16/33 lbs. |
| 8386 | .060 Non-Reinforced TPO Flashing Tan (12",24"x50') | | 1/Ctn | 16/33 lbs. |
| 8328 | .045 Reinforced White 6" x 100' | | 3/Ctn | 32 lbs. |
| 8388 | .045 Reinforced Gray 6" x 100' | | 3/Ctn | 32 lbs. |
| 8389 | .045 Reinforced Tan 6" x 100' | | 3/Ctn | 32 lbs. |
| 8309 | White TPO Inside/Outside Corners | | 12/Ctn | 1 lb. |
| 8390 | Gray TPO Inside/Outside Corners | | 12/Ctn | 1 lb. |
| 8931 | Tan TPO Inside/Outside Corners | | 12/Ctn | 1 lb. |
| 8421 | TPO Primer (used with TPO PS Coverstrip) | | 6-1 Gal/Ctn | 39 lbs. |
| 8321 | TPO Bonding Adhesive (5 Gal) | | 5 Gal Pails | 40 lbs. |
| 8320 | Clear TPO Cut-Edge Sealant (16 oz. Bottles) | | 8 Bottles/Ctn | 9 lbs. |
| 8393 | Sealant Pocket Filler – PT304 | | 24 Tubes/Ctn | 21 lbs. |
| 8319 | Weathered Membrane Cleaner | | 5 Gal Pails | 36 lbs. |
| 8330 | Weathered Membrane Cleaner | | 2 - 1 gallon | 13 lbs. |
| 8394 | White TPO Molded Pipe Flashing | | 8/Ctn | 8 lbs. |
| 8395 | Gray TPO Molded Pipe Flashing | | 8/Ctn | 8 lbs. |
| 8396 | Tan TPO Molded Pipe Flashing | | 8/Ctn | 10 lbs. |
| 8399 | White TPO Metal 4' x 10' | | 25 Sheets/Skid | 1,430 lbs. |
| 8397 | Gray TPO Metal 4' x 10' | | 25 Sheets/Skid | 1,430 lbs. |
| 8398 | Tan TPO Metal 4' x 10' | | 25 Sheets/Skid | 97 lbs. |
| 8322 | 30" x 50' TPO Walkway Rolls – Gray / Tan | | Each | 97 lbs. |
| 8323 | 30 " x 50' TPO Walkway Rolls - White | | Each | 48 lbs. |
| 8401 | White/Gray TPO PS Coverstrip 6" x 100' | | 2/Ctn | 41 lbs. |
| 8402 | Tan TPO PS Coverstrip 6" x 100' | | 2/Ctn | 6 lbs. |
| 8403 | TPO Extension Legs | | 10/Ctn | 40 lbs. |
| 8404 | White TPO RUSS 6" x 100' | | 2/Ctn | 40 lbs. |
| 8329 | White / Gray T-Joint | | 100/Ctn | 4 lbs. |
| 8327 | Molded Sealant Pocket White / Gray | | 5/Ctn | 4 lbs. |
| 8406 | Molded Sealant Pocket Tan | | 5/Ctn | 27 lbs. |
| 8326 | Thermoplastic Pourable Sealer | | 2/Ctn | 6 lbs. |
| 8407 | White TPO Split Pipe Boot 1 inch | | 8/Ctn | 6 lbs. |
| 8408 | White TPO Split Pipe Boot 2 inch | | 8/Ctn | 6 lbs. |
| 8310 | White TPO Split Pipe Boot 3 inch | | 8/Ctn | 6 lbs. |
| 8409 | White TPO Split Pipe Boot 4 inch | | 8/Ctn | 6 lbs. |
| 8411 | White TPO Split Pipe Boot 5 inch | | 8/Ctn | 6 lbs. |
| 8311 | White TPO Split Pipe Boot 6 inch | | 8/Ctn | 6 lbs. |
| 8412 | White TPO Prefab Corner 7" | | 8/Ctn | 10 lbs. |
| 6013 | 3" Round Insulation Plates | | 1,000 per box | 55 lbs. |
| 6009 | Lip Termination Bar | | 10' Alum. Bar | 5 lbs./ tube |
| 6015 | Flat Termination Bar | | 10' Alum. Bar | 5 lbs./ tube |
| 8010 | Leister Triac Hand Welder | | Hot Air Hand Welder | 4 lbs. |
| 8011 | Leister Variant Auto Welder with Tool Box | | Auto Hot Air Welder | |
| 5007 | Pressure Roller | | Silicon Hand Roller | 2 per lb. |
| 6014 | Seam Probe | | Hand Held Seam Probe | 4 per lb. |
| 8400 | Green Guard PB6W Fan Fold 4'x5'-3/8" (200 sq.ft./bur | | Roof Recovery Board | 20 lbs. |
| 8700 | Flex ISO Insulation | Please Contact Flex Sales Department For Pricin | | |
| 8110 | Flex DensDeck | Please Contact Flex Sales Department For Pricin | | |

Flashing:

Non-reinforced flashing is available in rolls **60 mils thick by 12 inches and 24 inches wide by 50 feet long**. Flashing is used for inside/outside corners, field fabricated pipe flashings, sealant pockets and scrappers when the use of pre-molded accessories is not feasible. In addition, **45 mil thick by 6 inch wide by 100 foot long reinforced membrane** is available for flashing various metal edge details or to overlay fasteners and fastening plates. Both non-reinforced and reinforced flashings are available in white, gray and tan.

FLEX STANDARD STEEL/WOOD DECK FASTENERS
FOR FLEX INSULATION

| Code | Product | Quantity Ordered | Unit | Weight |
|------|-----------------|------------------|----------|---------|
| 5011 | 1 5/8" Fastener | | 1000/box | 12 lbs. |
| 5012 | 2 1/4" Fastener | | 1000/box | 16 lbs. |
| 5013 | 2 7/8" Fastener | | 1000/box | 19 lbs. |
| 5014 | 3 1/4" Fastener | | 1000/box | 21 lbs. |
| 5015 | 3 3/4" Fastener | | 1000/box | 24 lbs. |
| 5016 | 4 1/2" Fastener | | 1000/box | 29 lbs. |
| 5017 | 5" Fastener | | 1000/box | 35 lbs. |
| 5018 | 6" Fastener | | 1000/box | 41 lbs. |
| 5019 | 7" Fastener | | 1000/box | 49 lbs. |
| 5020 | 8" Fastener | | 1000/box | 55 lbs. |

FLEX EXTRA HEAVY DUTY MEMBRANE PLATE & FASTENER

| Code | Product | Quantity Ordered | Unit | Weight |
|------|-------------------|------------------|----------|---------|
| 6030 | 2 3/8" Seam Plate | | 1000/box | 53 lbs. |
| 6031 | 2" Fastener | | 1000/box | 20 lbs. |
| 6032 | 3" Fastener | | 1000/box | 29 lbs. |
| 6033 | 4" Fastener | | 1000/box | 38 lbs. |
| 6034 | 5" Fastener | | 500/box | 24 lbs. |
| 6035 | 6" Fastener | | 500/box | 28 lbs. |
| 6036 | 7" Fastener | | 500/box | 34 lbs. |
| 6037 | 8" Fastener | | 500/box | 38 lbs. |
| 6038 | 9" Fastener | | 500/box | 43 lbs. |
| 6039 | 10" Fastener | | 500/box | 47 lbs. |
| 6040 | 11" Fastener | | 500/box | 51 lbs. |
| 6041 | 12" Fastener | | 500/box | 56 lbs. |
| 6042 | 14" Fastener | | 250/box | 32 lbs. |
| 6043 | 16" Fastener | | 250/box | 38 lbs. |

FLEX SUPER EXTRA HEAVY DUTY MEMBRANE PLATE & FASTENER

| Code | Product | Quantity Ordered | Unit | Weight |
|------|--------------|------------------|------------|---------|
| 5049 | 2 3/4" Plate | | 500/bucket | 37 lbs. |
| 5050 | 2" Fastener | | 500/bucket | 16 lbs. |
| 5051 | 3" Fastener | | 500/bucket | 22 lbs. |
| 5052 | 4" Fastener | | 500/bucket | 29 lbs. |
| 5053 | 5" Fastener | | 500/bucket | 36 lbs. |
| 5054 | 6" Fastener | | 500/bucket | 44 lbs. |
| 5055 | 7" Fastener | | 250/bucket | 25 lbs. |
| 5056 | 8" Fastener | | 250/bucket | 29 lbs. |

• Contact Flex Sales Department for Information and Pricing on all other fasteners. All sizes and types available for concrete decks and gypsum/tectum decks.

• All Prices FOB: Flex Warehouse, prepay and bill.

• Prices are subject to change without notice.

• Standard payment terms of 1%/10 days, Net 30 days apply based on approved credit.